

respect to said body portion to cause a proximal end of said bottom surface to rest on a radial surface of a user's hand when the user grasps the handle portion.

14. (New) A hand-held optical scanning device, comprising:
a body including an upper surface having a display mounted thereof;
a handle that extends from a bottom surface of the body, the handle being joined at a selected angle with respect to the body to cause a proximal end of a bottom surface of the body to rest on a radial surface of a user's hand when the user grasps the handle, the handle being configurable to accommodate the user's hand.

15. (New) The hand-held optical scanning device of claim 14, the handle being integrally molded with the bottom of the body.

16. (New) The hand-held optical scanning device of claim 14, comprising a wireless data transmission system for communicating data.

17. (New) The hand-held optical scanning device of claim 16 being operative in a local area wireless network.

18. (New) The hand-held optical scanning device of claim 14, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.

19. (New) The hand-held optical scanning device of claim 18, the cover including a digital display.

20. (New) The hand-held optical scanning device of claim 14, further comprising a display that is configurable to adapt to a user's preference.

21. (New) A hand-held optical scanning device, comprising:
a body having an optical scanning module arranged to scan objects in a direction outward from a first distal end, the body including an upper surface having a display mounted thereof;
a handle that extends from a bottom surface of the body, the handle being joined to the body to cause a proximal end of a bottom surface of the body to rest on a radial surface of a user's hand so as to mitigate exertion of unsupported force on a grip ^{by} the handle by force of keystrokes.
22. (New) The hand-held optical scanning device of claim 21, the handle including a trigger.
23. (New) The hand-held optical scanning device of claim 21, the trigger being a two-finger trigger.
24. (New) The hand-held optical scanning device of claim 21, the trigger facilitating at least one of the following functions: read only, read and store, and scroll menu utility.
25. (New) The hand-held optical scanning device of claim 21, further comprising a resilient member between a lower body member and cover, the resilient member extending a distance beyond the lower body member and cover a substantial portion of a periphery of the body.
26. (New) The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects a user's hand.
27. (New) The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the device.
28. (New) The hand-held optical scanning device of claim 21, the handle being integrally molded with the bottom of the body.
29. (New) The hand-held optical scanning device of claim 21, comprising a wireless data

transmission system for communicating data.

30. (New) The hand-held optical scanning device of claim 21, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.

31. (New) The hand-held optical scanning device of claim 30, the cover including a digital display.

32. (New) The hand-held optical scanning device of claim 21, further comprising a display that is configurable to adapt to a user's preference.

33. (New) The hand-held optical scanning device of claim 32, the display being configurable vertically and horizontally.

34. (New) The hand-held optical scanning device of claim 32, the display being configurable to provide portrait and landscape views. --